

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	198	bayonet with actuator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/29 11:13			
2	BRS	L2	7	1 with limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/29 11:03			
3	BRS	L3	189	(latch\$3 or bayonet or detent or snap) with actuator with limit\$3 with rotat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/29 11:51			
4	BRS	L4	690	(latch\$3 or bayonet or detent or snap or ((slot or hole or bore) with (rib or pin or hook or finger or protrusion or extension or ramp or cam))) with (dial or knob or wheel or actuator) with limit\$3 with rotat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/29 12:33			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
5	BRS	L5	501	4 not 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/29 11:55			
6	BRS	L6	415	((latch\$3 or bayonet or detent or snap or ((slot or hole or bore) with (rib or pin or hook or finger or protrusion or extension or ramp or cam)))) with (handle) with limit\$3 with rotat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/29 12:34			
7	BRS	L7	454	((latch\$3 or bayonet or detent or snap or ((slot or hole or bore) with (rib or pin or hook or finger or protrusion or extension or ramp or cam)))) with (handle or grip) with limit\$3 with rotat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/29 12:34			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
8	BRS	L8	114	7 with (overlay or receiv\$3 or telescop\$3 or insert\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/29 12:43			
9	BRS	L9	12	7 with (snap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/29 12:46			
10	BRS	L10	333	7 not (8 or 9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/29 12:47			